COAL

AUGUST, 1952

published by Modern Mining Publishing Co. 5403 CLAIRTON BLVD. • PITTSBURGH, PA.

VOLUME 29, No. 8

if it's a big job,
the equipment is from

Highway





Lima 1201 is in daily use at L. W. OVERLY's strip job, Smithton.



Allis-Chalmers BD-3 Grader builds roads at RIVER HILL COAL CO., Keewaydin.



Allis-Chalmers HD-20, the world's finest tractor, on 5 8 & COAL CO. job, Fairchance.

6465 Hamilton Ave. . Pittsburgh



Lima 1201 used by SERVANTI COAL CO., Waltersburg.


Highway comp



ALLIS-CHALMERS * JAEGER * BAKER * GAR WOOD * HOUGH *

MASTER * THOR * WAYNE CRANE * GENERAL MOTORS DIESEL

ENGINES * LIMA SHOVELS, CRANES, DRAGLINES * ERIE BINS



Drilling-Cycle Time Reduced, Footage per Shift Increased

... when you use Le Roi-CLEVELAND Jumbos and power-feed drifters in your rock headings

THERE are three things you have to do if you want to save time in your drilling cycle and increase your footage — reduce set-up time, drill out the round faster, and shorten tear-down time.

You know this and so do we. That's why we designed the Le Roi-CLEVELAND jumbo the way it is. And that's also why our drifters drill so fast.

Let's see what you get when you use Le Roi-CLEVELAND:

- ★ The most flexible jumbo available. Air-motor powered booms let you space your holes quickly and easily for most efficient fragmentation,
- * Rigid, non-slip set-up feature keeps drifters in line, prevents steel binding, saves wear and tear

on chucks, results in higher average drilling speeds.

Strong rotation, plus snappy yet powerful force of blow of Le Roi-CLEVELAND drifters gives you unexcelled drilling speed. This drilling speed coupled with the fast, positive feeding action of our power feed gives you the right pressure for fastest drilling and reduces drillsteel changing time.

You add all these advantages together when you use Le Roi-CLEVELAND jumbos and power-feed drifters. The outcome is faster drilling cycles, more footage per shift—so why not standardize on these cost-cutting honeys. Write for complete information.



LE ROI COMPANY

CLEVELAND ROCK DRILL DIVISION

12500 Berea Road, Cleveland 11, Ohio Plants: Milwaukee, Cleveland and Greenwich, Ohio



The McCarthy Coal Recovery Drill starts in where the shovels leave off ... in those rich veins which have been untouched because of too costly overhurden removal. The McCarthy Drill bores horizontally or at an angle . . . mining and loading in one continuous operation.

Consider the operation illustrated here; a 30-inch McCarthy drill is shown at work on the coal drilling operation of L. E. Grant near Edwight, Raleigh County, West Virginia. The huge power-driven drill bores the coal out of the rich seam after stripping has mined as much of it as it is profitable to recover that way. The 30-inch drill comes in six-loot sections, and 17 of them are used at this particular operation to drill a hole

102 feet back in the mountain. A three-man crew can produce 90 tons of clean coal in an eight-hour shift, a portable conveyor being used to load the coal into trucks. Grant has two such drilling outlits at work near Edwight, Rish Equipment Company, McCarthy drill distributor in the two Virginias, has sold sixty drills for this unusual method of coal mining.

McCarthy drills can be used for strip or deep mine operations. Available in diameters of 12, 16, 20, 24, 30, 36, 42 and 48-inch.

Let us have your inquiries which will be referred to our nearest distributor. Write today for the full story on the revolutionary McCarthy Coal Recovery Drill.



Published monthly by Modern Mining Publishing Company. Publication Office—Advance Printing & Litho Co., Erie, Pa. Editorial and Executive Offices 4575 Country Club Drive. Pittsbursh, Pa., P. F. JASIK, Publisher & Editor, Price: In the United States, \$2.00 per year; all other countries, \$5.00. Single copy, 50 cents. Entered as second-class matter at the Post Office at Pittsbursh, Pennsylvania, under the act of March 3, 1879. Application for reentry applied for at the Post Office at Erie, Pennsylvania.

"CAT" CARE

FOR

This is our "CAT" Care Program designed to keep you coming back for more of the best equipment "CATERPILLAR" from BECKWITH!

Longer Wear

OUR AIM IS TO

KEEP YOU SOLD!



You bought the finest equipment on the market when you picked "Caterpillar"... you've had a lot of profitable hours out of it... but it still takes prompt, all 'round service to keep you sold.



If your equipment should take an unscheduled break, our field service is on your job in a hurry; your equipment is back to work immediately.

That's why BECKWITH - CATERPILLAR SERVICE is as complete as we can make it...and as certain as taxes!



From the first time you spin the starting engine, we're ready to care for your "Cat". Our men can show you how to use the equipment and how to maintain it.



We'll stop around to check your equipment, to catch wearing parts before they reach the trouble zone, to make adjustments that will give you better performance.



And when several thousand hours have been racked up, a thorough overhaul brings it back to "like-new" efficiency. Our shops are near at hand, our tools are quick, and our mechanics are well-trained.



PARTS stocks, on hand for delivery"right-now," are backed by parts rebuilding facilities to save your money.

BECKWITH MACHINERY COMPANY

6550 Hamilton Ave. — PITTSBURGH — Phone MOntrose 1-6900

---- BRANCHES ----- ! ----- PARTS STORES -----

BRADFORD, PA. 361-369 Congress St. Phone 3166 CLEARFIELD, PA.
Old Town Rd.
Phone 5-9635

FARRELL, PA.
E. Broadway

BELMONT, OHIO 906 John St. Phone Bethesda 4-4311 "CATERPILLAR" DIESEL TRACTORS, ENGINES, MOTOR GRADERS, EARTHMOV.
AND CRANES • TRACKSON SHOVELS,
AND SHOVELS • TRACKSON SHOVELS,
AND SHOVELS • CHICAGO PNEUMATIC
WAGONS, MOBILOADERS, FORCE-FEED
ERICK AND BASCOM WIRE ROPE • ME.
KIERNAN TERRY PILE HAMMERS AND
EXTRACTORS



ARE MONEY-MAKERS TOO!

*"CATERPILLAR" DIESEL D4 AND D2 TRACTORS



The A. A. Leesch Construction Co. of Ablenville, Pa., is being this "Caterpillar" Diesel D1 Tractor, equipped with loss 1A Bulldozer, in clearing land on Camp Starlight, a summer camp, mer Starlight, Pa. The work-spower and trac-tion needed for these operations are furnished easily by the D1.



By doing work faster and cheaper, the D2 has given tractor satisfaction to thousands of comers. Here the "Caterpillar" Diesel D2 Tractor, equipped with a No. 2A Bulldozer, is feeding reclaimed "bank" coal on operations near Boston Run, Pa., for Michael Stefero of Gilberton, Pa.

Known as "Concetrated power in small packages" the "Caterpillar" D4 and D2 Diesel Tractors have earned a place beside their big brothers in popularity on many jobs. The money-making ability of these two smaller sizes is not being overlooked by Tractor users, Many jobs that were formerly reserved for larger tractors are now being handled by D2's and D4's.

The range of work, too, is being increased with attachments such as loaders, farm equipment, snowplows, winches, etc. The economy of having a "Cat" D2 and D4 Diesel Tractor on your job should be investigated. Call or write us today for more information.



FRACKVILLE

HARRISBURG

WILKES-BARRE Route 122. (State Road) Route 322 (Hershey Road) Route 309 (Ashley By-Pass)
Phone 701
Phone 6-7981
Phone 2-8141

MINING

Vol. XXIX

August, 1952

No. 8

Pontents

Do You Know
Here and There in the Coal Industry
Kefover Man Portal, Vesta-Shannopin Division of the Jones & Laughlin Steel Corporation
Harwick Branch Electro-Mechanical Mining and Maintenance Ass'n. Meeting .13
Exp. Strip Mines Show No Stream Pollution
Picture Review of Strip Mining
Advartisar's Index

Published Monthly By

MODERN MINING PUBLISHING COMPANY

Publication Office-1118 Chestnut St., Erie, Pa. Editorial Offices-4575 Country Club Drive, Pittsburgh, Pa., Phone Pl. 1-9411.

P. F. JASIK, Publisher and Editor

Twenty-four Hour Service

SKF Hyatt Bantam Torrington Aetna Auburn Medart-Timken **Bunting Bronze**



Bower Orange Shafer B&RB American Kilian Victor Seals

Browning V-Belt Drives Lincoln Lubrication

HUbbard 1-4400

Bearing Division

PUMP AND SUPPLY COMPANY

Brady and Sidney Streets, Pittsburgh 3, Pennsylvania

Manufacturers and Lubrication **Engineers Since 1890**



Lubrication Engineering follows an established, definite pattern of studying the Machine and recommending a lubricant to meet the situation.

Let our engineer discuss with you the NEW DEVELOPMENT IN HYDRAULIC lubrica-

STIFFLER INDUSTRIAL LUBRICANTS CO.

Etna. Penna. Phone St. 1-1571 and 1-2660

PROMPT SERVICE

on repair and replacement parts for your

MINING EQUIPMENT!

Our completely integrated foundry, machine and fabricating shops are your assurance of quick, efficient service.

FORT PITT Mining Equipment NEW . REPAIRS . PARTS

We manufacture: Hoists - skips - cages - coal, slate and rock farries - rotary dumps - conveyors - coke oven and tipple equipment.

Connellsville Manufacturing and Mine Supply Company CONNELLSVILLE PENNSYLVANIA

Serving the Mining Industry Since 1901

Do you Know?

 A materialistic world hypothesis which tries to explain why people "do good" and other spiritual values on the basis of scientific findings is manifestly inadequate, Harvard President James B. Conant declared.

Giving the last of four Bampton Lectures at Columbia University, Dr. Conant spoke on "Science and Spiritual Values."

A materialistic conceptional scheme which attempts to account for everything in the whole universe, said Dr. Conant, is unsatisfactory because it is incomplete. "It fails to provide for the altruistic

and idealistic side of human nature," he went on "It fails to accommodate what I regard as highly significant facts, not facts of science but facts of human history. These are the unselfish ways in which human beings often act, compassion, love, friendliness, self sacrifice, the desire to mitigate human suffering. In short it is the problem of "good" not "evil" that requires some other formulation of human personality than that provided by the usual naturalistic moralist."

Scientific theories, Dr. Conant said, are restricted policies, not parts of a unified cosmic creed. When a scientist steps out of his laboratory and takes part in activities other than research, he must be

believer

Dr. Comant said that there are minimal commitments that are required by a modern man to construct his philosophy of life if he be neither a religious dogmatist nor a materialistic atheist. Two parts of that commitment, he declared, are that there is a sharp eleavage between animal behavior and human conduct, and that the pressibility may exist that the states of mind as well as the overt actions of some people have a relation to some large pattern of events.

All-glass paper, a new product composed entirely of glass fibers with nothing added, has been developed at the National Bureau of Standards. It has several possible applications, an important one being as an air filter paper in gas masks.

It is the first all-glass paper ever made, Bureau officials state. In it commercially available fine glass fibers were used. This raw material was mixed with water and formed into continuous sheets on the semicommercial paper-making machine in use at the Bureau. A number of special problems had to be solved, however, before a paper with satisfactory strength and characteristics was obtained.

This all-glass paper seems particularly suitable for use as filters in gas masks and respirators used by fire fighters, industrial and medical workers and military personnel. In gas-mask tests in a smokefilled room only one smoke particle in 100,000 passed through it. Another important advantage of the new product is its high resistance to the effects of heat, moisture, chemicals and micro-organisms.

The development of this paper was a joint project of the Bureau of Standards and the Naval Research Laboratory. The scientists of the Bureau responsible for it are M. J. O'Leary, J. K. Missimer, J. J. Erving, and B. W. Scribner. The Navy scientists are T. D. Callinan and R. T. Lu-

Here and There in the Coal Industry

 New Superintendent of Republic Steel Corporation's Indianola coal mine at Indianola, Pa., is Charles L. O'Brien, a veteran of 28 years' service in various mine supervisory assignments, Mr. O'Brien's appointment has been announced by Mr. J. H. Reitz, manager of Republic's Northern Coal Mines District.

A native of Oliver, Pa., Mr. O'Brien has been with Republic since September, 1940, when he joined the company as assistant mine foreman. He has served in the capacity of mine foreman since August, 1944, and at the Indianola Mine since December, 1946.

Before joining Republic, Mr. O'Brien was employed for 16 years by the W. J. Rainey Company, where he served for 13 years as assistant mine foreman, and for three years as mine foreman.

Mr. O'Brien is married and the father of three children, Alma, Charles, and Janet. He attended grade school in Oliver and the North Union Township High School. He also studied for one year at the Douglas Business College and for three years he attended mining school at Uniontown.

Earlier this year Mr. O'Brien received a certificate of honor from the Joseph A, Holmes Safety Association for supervising an underground crew of 28 men for 1087 consecutive days without a lost time accident. The period covered totalled 339,868 man-hours.

• At the recent annual meeting of the Big Sandy-Elkhorn Coal Operators Association, the following officers were elected: B. F. Reed, Chairman of the Board S. M. Cassidy, President; W. D. Goldsmith, Vice President; J. R. Hurt, Treasurer; H. S. Homan, Executive Secretary.

The Association's new Board of Directors is comprised of Messrs. H. K. English, C. M. Caudill, S. M. Cassidy, G. O. Tarleton, A. P. Boxley, W. W. Goldsmith, Edgar Dale, George E. Evans Jr., J. J. Foster, David L. Francis, Joseph Harris, Harry Laviers, Virgil D Picklesimer, A. H. Mandt, B. F. Reed, J. P. Hurt, J. E. Bowman and R. A. Hedland.


• Bituminous Coal Research, Inc., has announced the sale to the Le Roi Co., Milwaukee, Wisconsin, of the rights to manufacture and market the continuous mining machine developed under the Mining Development Program of Bituminous Coal Research, Inc., the national research agency of the bituminous coal industry.

The Le Roi Company plans extensive further development of the continuous mining machine prior to commercial sale. The further development, design, and manufacture of the continuous mining machine will be done at the Le Roi plants at Cleveland and Greenwich, Ohio.

Mining research, according to an announcement today by Dr. A. A. Potter, president of Bituminous Coal Research, Inc., will be continued by BCR in order to develop new and improved equipment and methods of bituminous coal mining. This decision was reached on the recommendation of the Mining Development Committee at a meeting of the sponsors yesterday in Huntington, West Va.

- J. M. Malloy of Oklahoma was elected President of the Mine Inspectors Institute of America at the Annual Convention held at Wilkes-Barre, Pa. June 9-10-11.
- ◆ The annual meeting of the Coal Producers Association of Washington was held in Seattle, Wash, on June 10. Officers of the association elected included Harry Patrick, president; Fred Bianco, vice president; and Earl R. McMillan, John H. Morris and William Strain, trustees, Ralph Clark is secretary of the group.
- James R. Hurt, age 59, retired Prestonburg, Ky., coal operator, died. Mr. Hurt was a native of Tazewell, Va., and moved to Prestonburg in 1930 to become associated with the predecessor of the Sandy Valley Coal Co. and then with that company in 1932 as Secretary-Treasurer. He was a charter member of the Big Sandy-Elkhorn Coal Operators Association, its Treasurer for a time, and was very active in its work as a member of man committees, also holding many other business and civic interests. Mr. Hurt retired from the coal industry in 1949.

CUMMINS' DIESEL PARTS give more service!



...because we take <u>twice</u> the care...

Every Cummins Diesel is custom-built to fit your job...give you years of dependable, profitable service. To make the most of Cummins performance—and keep "down time" at a minimum—it pays to use Genuine Cummins Parts for maintenance. Every Genuine Cummins Part fits perfectly, lasts longer...because it's manufactured with twice the care. So always insist on Genuine Gummins Parts—available only from Cummins dealers coast to coast. See the dealer nearest you.

Diesel power by CUMMINS





PHILDELPHIA, Cummins Diesel Engines, Inc.: 209-13 North 22nd Street, Philadelphia 3, Pennsylvania, Telephone Rittenhouse 6-4460.
Branches: Hoffman Boulevard and Chestnut Street, Ashland, Pennsylvania; 6501 Hamilton Avenue, Pittsburgh 6, Pennsylvania; 611 Light Street, Baltimore 30, Maryland . . . Dover, Cummins Diesel Sales Corporation of Ohio; 131 North Wooster Avenue, Dover, Ohio, Telephone 42351. Branches: 3827 Spring Grove Avenue, Chichinati 23, Ohio; 741 Grandview Avenue, Columbus 8, Ohio; 3560 East 93rd Street, Cleveland 5, Ohio; 2883 West Market Avenue, Akron, Ohio . . . CHARLESTON, Cummins Diesel Sales & Servier, Inc.; 1607-1609 Kanawha Boulevard, Cut-off West. Charleston 30, West Vignia, Telephone Capital 27-178 . . LOUISVILLE, Cummins Diesel Sales of Louisville, Inc.; 2209
Taylorsville Road, Louisville 5, Kentucky, Telephone Chrokee 2618, 2617, 1621 and 4622

COAL PREPARATION EQUIPMENT

Shown is a Jeffrey one-compartment Diaphragn: Jig with 25 square feet of screen area.

Jeffrey Baum and Diaphragm JIGS represent the most effective high-capacity mechanical coal cleaning units on the market today. Proved designcarefully engineered—no pre-sizing necessary. Single or multiple compartments. Air-operated Baum Jigs-for capacities up to 700 T.P.H. Diaphragm Jigs-for capacities up to 200 T.P.H. Also Unit Washers for washing up to 200 T.P.H. Catalog No. 815.



Car ers Buck levators Load Booms Chutes Diver Pickin phles



FEEDERS

Electric vibrating units for providing absolute control over tonnage handled. Various types and sizes with a wide range of capacities. Used for feeding crushers, belts, jigs, etc. Also mechanical feeders, bucket elevators and conveyors. Catalog No. 830.



Maximum size of feed, kind of coal, size of product required and size of fines that are objectionable . . . all have a bearing on the type of crusher for profitable operation. Years of experience enable Jeffrey engineers to specify the correct type for greatest profit, whether it be a Single Roll, Double Roll (shown) or a FLEXTOOTH Crusher. Bulletin No. 784.

> Shuttle Cars Locomotives Continuou machines Conveyors



SCREENS

Single or multiple deck electric Vibrating Screens for such operations as scalping, sizing, by-passing, rescreening and dedusting, dewatering and washing with a high 'through screen' capacity in relation to feed rate. Send for literature.



Established 1887 General and Export Sales Offices COLUMBUS 16, OHIO, U.S.A.

DISTRICT SALES OFFICES

403 City Ave BIRMINGHAM 3. 2210 Third Ave. N BOSTON 16 38 Newbury Street BUFFALO 2

CLEYELAND 15; 1560 Hanna Bldg. DENVER 2 DENDER 7: 1726 Champs
DETROIT 13. 5508 SJ. Jean Avenue
FORTY FORT, PA. 166 Slocum St.
HARLAN.
City National Bank Bildy
JACKSONVILLE 2: Exchange Building

MILWAUKEE 2, 735 N. Woter Street NEW YORK 7.

90 Church Street
PHILADELPHIA 3,

Brood 51 Station Bildg
PITTSBURGH 22.

Oliver Bildg SALT LAKE CITY 1, 101 W. 2nd South St ST. LOUIS 1.
Railway Exchange Bldg


SERVICE STATIONS

SIRMINGHAM + PITTSBURCH - JOHNSTOWN + FORTY FORT, PAL + MT VERNON ILL + HARLAN KY.
IN WASE Virginia. BECKLEY + CABIN CREEK + LOGAN + MORGANTOWN + WELCH .

ASSOCIATED COMPANIES

JEFFREY MFG CO LTD. Montreal Canada
BRITISH JEFFREY-DIAMOND LTD. Wakefield Eng. JEFFREY GALION (PTY) LTD. Johannesburg, S. A. THE OHIO MALLEABLE IRON C.
THE GALION IRON WORKS & MFG. CO. Gallion and Bucyrus, O.

GALION (GREAT BRITAIN) LTD., Wakefield, Eng. THE KILBOURNE & JACOBS MFG. CO., Columbus, O.
THE OHIO MALLEABLE IRON CO., Columbus, O.



Above hoisting engine room, and, right shaft head frame at the Kefover shaft.

Kefover Man Portal, Vesta-Shannopin Division of the Jones & Laughlin Steel Corporation


The Kefover man portal, Vesta Shannopin Division of the Jones & Laughlin Steel Corporation is located in Washington County, Pennsylvania, near the community of Beallsville.

The portal consists of hoist house, hoist, bath house, mine officials offices, first aid room and emergency hospital and mine doctor's office. The hoist house and hoisting equipment is located about 50 feet from the bath house and is modern in every respect.


The building housing the miners' and officials' bath and change room is 68 feet 4 inches wide, 98 feet 10 inches long and 15 feet 10½ inches high, exhasive of the boiler room. This building is fireproof

with concrete slab roof—a similar bath house, built later, has steel deck roof.

The miners' bath house consists of two miners' change rooms, each 22½ feet wide and 97 feet 6 inches long. Each miners' change room has 316 clothes baskets and 10 wooden benches. A miners' shower room 55 feet long, has 30 shower heads



Over-all outside view of the miners bath and lamp houses.



One of the miners locker rooms.

The mine foreman's showers.

the change rooms. A toilet room 11 feet 6 inches long, has 6 showhas 3 commodes and 60 inch urinal.

The foremen's change room is 42 feet long by 10 feet wide and has 54 steel lockers. The foremen's er heads, 2 commodes and individual urinals. All three of the rooms have wash fountains.

Heating and ventilating of miners' change rooms is by large ca-


and can be entered from either of shower room is 10 feet wide by pacity unit heaters. Miners' shower room is heated by ceiling radiators. The two large miners' change rooms have roof ventilators and heated air is exhausted through the roof ventilators.

Hot water for the showers is



One of the wash stands in the miners locker room.

Urinal room in the miners bath house.



Miners lamp room. Note lamp racks along the outside walls.

furnished from a 4,000 gallon tank, provided by steam water heater. Heating of the building in winter and of the water for showers is by a coal fired boiler.

Water supply comes from a 250 feet deep well pump which supplies about 12,000 gallons of fresh water each working day. Toilet sewage goes to septic tanks Shower and floor water goes to a grease trap. Discharge from baths is filtered through a 40 feet by 40 feet sand filter. Storm water is handled separately.

The lamp house is a one-story tile building which has been added to the bath house. This building houses the lamps, the assistant foremen's room, the mine foremen's office and the mine superintendant's office. The first aid room and doctor's office are also in this newer building. This building is 71 feet long by 65 feet 4 inches wide. The lamp room is 70 feet long by 38 feet 4 inches wide, holds 1920 Edison electric cap lamps and several hundred safety lamps. Lamp cases and lamp changing racks are arrange in quadruple, with working area on the inside. Isles are provided along the outside walls for one way traffic to avoid confusion.



Safety lamp room.



Nurse attending injured miner in emergency hospital room.



Mine electricians quarters at bottom of the shaft. Each electrician has his own tool locker.



Emergency machine parts room at the bottom of the shaft.

Lamp house is self service from transfer cases. Lamp house attendant puts lamps into the charging rack and returns them to the transfer cases.

The assistant foremen's room is 85 feet by 25 feet. Tables are provided for 60 foremen. Adequate space is provided to hold mine maps. The mine foremen's and the mine superintendant's offices are 12 feet by 12 feet and are adjoining. The first aid room is 16 feet 4 inches by 14 feet.

• From the 5,000 Corporation annual reports for 1951 rated in the Twelfth Annual Survey, eighteen coal and coke companies are being cited with "Merit Award" certificates by Weston Smith, director of the Annual Report Survey for "Financial World," which will celebrate its Golden Anniversary for fifty years of service on October 1, 1952.

Coal & Coke: Ayrshire Colleries Corp., Clinchfield Coal, Dominion Coal, Itd., Glen Alden Coal Co., Hudson Coal Company, Island Creek Coal, Lehigh Coal & Navig., Old Ben Coal, Peabody Coal Co., Pennsylvania Coal & Coke, Phil, & Reading Coal, Pittsburgh Cons. Coal, Pittston Company, Pond Creek Pocahontas, Truax-Traer Co., United Elec, Coal Cos., West Kentucky Coal, W. Virginia Coal & Coke.

The stockholder reports of these companies thus have become candidates for the final judging, and one will be selected for a "Best of Industry" award and presented with a bronze "Oscar of Industry" at the Financial World Annual Report Awards Banquet on Tuesday, October 28, 1952, in the Grand Ballroom of the Hotel Statler in New York, A year ago the 1950 annual report of Pittsburgh Consolidation Coal Company won the trophy for the best report in this industrial classification.

The chairman of the independent board of judges in this year's competition is Dr. Carman G. Blough. C.P.A., research director of the American Institute of Accountants. He is assisted by Dr. Pierre R. Bretev, editor of The Analysts Journal: Denny Griswold, publisher of Public Relations News; Elmer C. Walzer, financial editor of the United Press: Richard W. Lambourne, president of the National Federation of Financial Analysts Societies, and Hollis Holland, national authority on typography and calligraphy and a member of the faculty of Columbia University.



Left: John Barlow, Duquesne Light Co.; H. John Harper, General Manager Mines Eastern Gas & Fuel Associates; Syd Gane, S. E. Gane & Co.; Frank Volka, Duquesne Light Co.

Leroy Collier, Consumers Mining Co.; Don Burke and Al Siebert, Erico Products, Inc.; Albert Episak, Machinist, Allegheny Pittsburgh Coal Co.

Harwick Branch of the Electro-Mechanical Mining and Maintenance Association Meets

The Harwick Branch of the Electro-Mechanical Mining and Maintenance Association heard a discussion about Cadweld Mine Machine Cable connection for inline and staggered 2-conductor type W, twin type G or W, and 3 conductor type W cables, presented

by Don Burke and Ed Siebert of June 1951 issue of COAL MIN-Erico Products, Cleveland, Ohio, and arranged for by S. E. Gane & Co. of Pittsburgh, Pa. This discussion was similar to one on the same subject presented at the Carmichaels, Pa., meeting of this association and published in full in the

A new four page folder descriptive of this method of making connections has just been printed and can be had by writing Erico Products, 2070 East 61 Place, Cleveland 3, Ohio.



Left: R. E. Shaw, Master Mechanic; Lawrence Husar, Mine Mechanic and Frank Galone, Bonder, and Ernest Bozich, Bonder, all of the Consumers Mining Co.



Left: John T. Cox, Mechanic; Wm. C. Oldendorf, Mechanic and E. M. Daugherty, Mechanic, all of the Russellton Mine of the Republic Steel Corp.



Left: Henry Yanik, Machine Boss, Duquesne Light Co.; Red Pfeiffer, S. E. Gane Co.; E. C. Skinner, Ford Collieries Co.; Wm. A. Hixenbaugh and G. F. Strauss, Duquesne Light Co.



Geo. Stacey, Master Mechanic, Harwick Mine of the Duquesne Light Co., and president of the Cheswich Branch of the EMMA; Charles Hall, Store Room Clerk, Harwick Mines; C. A. Kirkpatrick, Master Mechanic Barking Mine; Bob Jones, S. E. Gane Co.; Albert Hanlek, Mechanic, Har-wick Mine,

Experimental Strip Mines Show No Stream Pollution

Mine acid pollution of streams in Pennsylvania caused by strip mines is being controlled experimentally according to an announcement by Dr. S. A. Braley of Mellon Institute, Pittsburgh. Dr. Braley emphasized that the work so far has been entirely experimental.

Dr. Braley is senior fellow on the Fellowship on Mine Acid Drainage e-tablished at Mellon Institute in 1946 by the Pennsylvania Sanitary Water Board, and now supported jointly by the State and the coal industry. For a good part of the past six years the fellowship has been working on the problems of acid drainage from strip mines. A few principles of operation have been established by which the intelligent operator can, in most strippings of the sort found in this district, control acid drainage and, in fact, acid formation. Based upon these principles, the Sanitary Water Board has issued a number of special permits for experimental strippings on a commercial scale.

Each stripping presents its own geologic problem, but under typical conditions stripping can be done without stream contamination by following these simple rules. They also have the advantage of eliminating the need for complex and confusing regulations which would be necessary to cover all the many p sasible types of mines.

The sulphuric acid found in the drainage from so many mining op-

erations results from the action of air on sulphur-containing compounds which occur in and over coal beds. It may be found whenever coal measures are exposed to air, even when a highway or railroad cutting slices through a coal seam. The acid formation isn't complete without water and, of course, unless water carries it into a stream there is no pollution problem. It is impossible to keep all water out of a strip mine, but it may be controlled so that no acid is carried out of the pit.

The first rule is to keep surface water from the surrounding area out of the pit, usually by a simple ditch circling the mine on the uphill side. Spring water or seepage within the stripping can be ditched or piped directly outside.

Secondly, sulphur-bearing shale, rocks, and low-grade coal uncovered in stripping must be separated and kept out of the way of flowing water. The floor of the mine be kept clean, so machinery won't crush and spread the sulphur-bearing materials around where rain can soak out the acid.

Thirdly, while the mine is being back-filled, the segrated sulphur-carrying materials should be bull-dozed against the foot of the "high wall" (the up-hill side of the cut), and covered with at least eight feet of hard-packed clay. Sometimes the amount of sulphur-bearing material is small enough that it can be

spread out over the floor of the cut, packed down by rolling, or by driving a tractor back and forth over it, and then covered with a layer of hard-packed clay before the cut is filled.


Then, with the back-fill being made against the high wall, it is smoothly sloped, so that rain and surface water will drain away fast without soaking in the ground or standing in pools. The fill should be built up against the high wall carefully, so that it will not slip down or away, leaving a crack into which run-off water can pour.

In some strippings, when the coal is quite deep, or below the water level of the surrounding country, back-filling may not be needed. The sulphur-bearing waste may be spread on the floor and covered with clay after which the mine is allowed to fill with water, which will effectively seal off the air. Once the acid which was actually produced during the mining is drained off, only clean water will flow from the mine, because no air can get to the sulphuric material to make more acid. This is the way many deep mines (vertical shaft mines) are found, and several Pennsylvania communities get their water supply from them.

Dr. Braley said that, with few exceptions, these principles can be followed in any of the Pennsylvania coal fields. A few cases had


(Continued on Page 17)

Picture Review of Strip Mining




Two Caterpillar D-13,000 Diesel engines providing electric power for Mine Number 1 of the Ruthbell Coal Corporation, Kingwood, West Virginia.

Three Caterpillar D-13,000 Diesel engines provide electric power for Mine Number 2 of the Ruthbell Coal Corporation.





Caterpillar D-8 tractor with 8-A Bulldozer stripping coal at the Elkhorn operation of the Century Stripping Co., West Virginia.





Right: Lime Model 805 Shovel, driven by Caterpillar D-13,000 Diesel engine stripping coal at the Century Stripping Company near Elkhorn, West Virginia.


Below: Caterpillar D-7 Tractor, equipped with 7-A Bulldozer, stripping overburden at the Romano Brothers operation near Arista, W. Va.



Right: Caterpillar D-8 tractor, equipped with 8-A Bulldozer stripping coal at the operation of United Coals, Inc., Enterprise, West Virginia.







Galion ROLL-OVER in upright position.

Galion ROLL-OVER in dump position.

· A new line of side dump truck bodies for heavy duty applications is announced by The Galion Allsteel Body Co., Galion, Ohio.

Known by the descriptive name "ROLL-OVER", these are available in a wide variety of sizes and capacities.

Entirely mechanical in operation, Galion ROLL-OVERS dump to either right or left side, as desired. Bodies are of 10 gauge steel. can be mounted on all standard trailers, and will withstand the most severe service. The selfcontained subframe consists of three heavy box type outrigger cross members. Front and rear out riggers are built with a series of gear-like teeth which roll inside the formed channel tracks welded to the body. This construction locks the body in a stationary position and prevents forward or backward movement of the body on the subframe.

Main locking mechanism is a down-pull spring-loaded type plunger pin which engages in a socket built into an angle welded to the head of the body. Lock pin is actuated by a lever mounted to an A-type frame welded to the front of the subframe. Lever can be operated from either side of

Experimental Strip Mines

Show No Stream Pollution (Continued from Page 14) come up, he said, where the thickness of some of the sulphur-bearing formations was so great that it would be impossible to fulfill every rule so far established, "But." Dr. Braley, "operation of a dry pit is possible in any strip, and so most of the stream contamination by any stripper is preventable now. The amount of acid carried out of any coal mining operation is closely pro-

portional to the volume of water

flow-high in wet weather and low

To effect dump operation, driver disengages the spring lock chain on the opposite side of the body to which load is to discharge, then releases plunger lock lever. Bodies can be righted manually or by a slight snaking movement of the truck.

ROLL-OVERS, according to the manufacturer. are perfectly adapted for a wide variety of material handling operations. They are particularly recommended for use on general construction pro-

jects, coal shipping, metal mining. quarrying, barge loading, stockpiling, etc. Other applications include the hauling of refuse, trans-portation of "fill," moving of any type of bulk material in large quantities.

In addition to their single unit use, ROLL-OVERS can be employed in "trains" by installing one or two bodies on a trailer, and a third or fourth on an attached dolly trailer. With the "train" system, more than 50 yards of material can be handled with one tractor.



Galion ROLL-OVER train with two 11 yard capacity ROLL-OVERS, Each ROLL-OVER is 12 ft. long. Body is 95 inches wide at top. Over-all height from top of chassis frame to top of body is approximately 65 inches. Weight with subframe, is approximately 3500 lbs.

in dry weather. A working area where you don't get your feet wet won't pollute any stream.'

The experimental strip mines have shown that any future legislation designed at protecting streams must be flexible rather than detailed and rigid. The general principles will work everywhere, but each mine presents a slightly different problem which can't be exactly prescribed far in advance. One operator was able to cut his back-filling expense in half by filling his strip in the shape of a shallow valley with a definite downward slope throughout its length. The sulphuric material was buried under clay as usual, more than fifteen feet below the shallowest point of his "valley." Thus, the water runoff was rapidly down the length of the "valley" and out of the area with no time to soak in.

Although in the above-mentioned case, the cost of the more expensive method of back-filling would only have equalled the amount of the operator's bond, allowing him to use a more economical method actually achieved a more effective land restoration.

PEMM®

TELESCOPIC HOISTS
STEEL DUMP BODIES




COMBINATION TYPE PENN BODY FOR COAL, STONE & OVERBURDEN

70 DEGREE ANGLE FOR QUICK, CLEAN DUAYPING

MODEL 713 TWIN TELESCOPIC HOIST—UP TO 20 T. OTHERS TO 50 T.

PENN BODY DIVISION HOCKENSMITH CORPORATION PENN, PA.





Femco Trolleyphones are widely used for mine locomotives.

For men at the controls in mills — Femco Trolleyphones provide low cost communication.

• Farmers Engineering and Manufacturing Company, specialists in electronic communication and control, has introduced the Femco Trolleyphone, plug-in model, 2550 series.

The Femco Trolleyphone is offered as "one of the simplest, most useful communication systems ever devised" for use in mines or mills. The new plug-in model has been made more compact, and vastly easier to install and service than all previous models of similar equipment. A common communication system, each station is equipped with a press-to-talk microphone and a clear speaker with automatic volume control. Words spoken with any microphone come out of all speakers at a natural voice level regardless of distance.

Equipment consists of transreceiver units which incorporate both transmitters and receivers, speakers and microphones.

Transreceiver units for the new model Femco Trolleyphone have been completely redesigned and simplified. Construction is strong and shock proof for dependability in heavy industrial use. New plugin components make possible quick servicing when required with a minimum of down-time. Tubes and all sections are simply replaced with spares. Microphones and speakers plug in also, so that any parts may be returned to the maker for inspection and possible repair while equipment is in use. Tubes are inexpensive radio receiving tubes.

Power is taken from existing trolley wire or power line, either 250 or 550 volts DC. Current drain is about ½ ampere. Installation can also be made for 110 or 220 volt AC single or three phase, or from 6 to 40 volt batteries.

Advantages of use of Femco Trolleyphone systems include closer control and supervision over far flung areas; increased production of ore, metals and manufactured products; savings in time and costs; improved morale, teamwork and safety.

A company bulletin describes the Femco Trolleyphone. Copies may be had by writing to Farmers Engineering and Manufacturing Company, 549 Brushton Avenue, Pittsburgh 21, Pennsylvania.



Femco Trolleyphone equipment consists of a compact transreceiver with plug-in components, microphone and speaker.

DRAGLINE BUCKETS

Geo. L. Wilson & Co.

Office & Warehouse - 310 Mendota St. - Pittsburgh 12, Pa. - CEDAR 1-7710

MOVERS of Coal Stripping and Contractor's Equipment



HEAVY HAULING RIGGING

MOORE-FLESHER HAULING CO.

MOVERS of Coal Stripping and Contractor's Equipment

TWO LOCATIONS

Preble & Adams Sts., North Side, Pittsburgh 12, Pa.
Phone ALlegheny 1-3600

and

Stoney Hollow Boulevard, Steubenville, Ohio, P. O. Box 547

• An aluminum-asbestos roof coating which is reputed to lower interior building temperatures 15 to 20 degrees F and permanently prevent roof deterioration is announced by The Monroe Company, Inc., Cleveland.

Known as ASBESTOLITE, the coating is made of first quality aluminum flakes and high grade asphalt and asbestos suspended in a waterproofing oil vehicle. According to the company, the doubly-pigmented aluminum flakes "leaf" over the top of the asphalt and asbestos, forming an attractive, firm, metallic shield which reflects hot sun rays, seals out moisture, and is impervious to rust, corrosion and fumes.

The manner in which ASBESTO-LITE reflects heat and preserves roofs is clearly demonstrated by focusing rays of an infra-red heat lamp on a sample roofing slab. In this sample, one section is uncoated roofing paper, the second is coated with ordinary black roofing material and the third is treated with ASBESTOLITE. The first and second sections retain heat long after the ASBESTOLITE area is completely cooled.

Likewise, the ASBESTOLITE section shows no damage from the intense heat, while the other sections blister, melt and run. The Monroe Company, Inc., states that any roof, treated regularly with ASBESTOLITE, will never wear out.

ASBESTOLITE is highly fire retardent and can be applied to any type of roof. It is recommended for office and industrial buildings, hotels, dairy barns, and all applications where under-roof temperatures must be kept to a minimum. Ordinary black roof coatings, which absorb the sun's rays, are unsuitable for such uses.

Write for information to The Monroe Company, Inc., 10703 Quebec Avenue, Cleveland 6, Ohio.

 Addition of a new aluminum anti-rust paint to the PCA paint line is announced by Paint Corporation of America, Cleveland, Ohio.

Known as PCA-102 Aluminum, the new paint is made of doubly pigmented aluminum mixed with a clear vehicle. The latter is identical to PCA-101 which the company has sold for many years as a clear rust inhibitive. Because of its use of the clear anti-rust base, PCA-102 Aluminum can be applied easily and

quickly without any possibility of the base "bleeding" through. The latter is a common difficulty with many aluminum paints that utilize a black asphalt or bituminous base. According to the manufacturer, the clear base also gives PCA-102 a 10 percent brighter appearance than ordinary aluminum paints. It likewise permits better "leafing" of the aluminum flakes to form a moisture-proof coating.




PCA-102 Aluminum can be applied by brush or spray right over rust without priming, scraping, wire brushing or sandblasting, the manufacturer states. It is reputed to penetrate rust layers and seal the base metal against further rust action, and is equally effective as a rust preventative when applied over any kind of new metal surface.

Write for information to Paint Corporation of America, Fidelity Building, Cleveland 14, Ohio.

Expanded sales and service facilities for Euclid earthmoving equipment in the states of Wisconsin and Oklahoma have been announced by The Euclid Road Machinery Co. with the appointment of two new distributors.


Cunningham-Ortmayer Company of Milwaukee is the new Euclid distributor for the state of Wisconsin. Euclid will be represented in Oklahoma by the Butler-Sparks Equipment Co., with headquarters in Oklahoma City.

Cunningham-Ortmayer is one of the oldest and best known equipment distributor firms and maintains branches in Eau Claire and Green Bay. C. G. Ortmayer is President; H. J. Adams, Executive Vice





549 Brushton Ave., Pittsburgh 21, Pennsylvania



THIS HOSSFELD ROCK DRILL

with prospecting attachment will cut your drilling costs to as low as 30c per foot...give you accurate samplings to 70 feet deep.

It's a compact unit that can be moved into hard-to-get-at places.

- POWERFUL DIRECT DRIVE
 - ONE MAN OPERATION
 - ECONOMICAL

BLAST HOLE DRILLING can be done faster and better, too. Holes are full diameter all the way. Drills at any angle from vertical to horizontal.

WRITE TODAY for illustrated bulletin with full delails,







President; and R. R. Kelbe, Vice President. For many years Adams was district manager for a leading construction equipment manufacturer.

E. A. Butler and R. A. Sparks, who have been in the construction business in Oklahema for many years, bought out another distributor and formed the Butler-Sparks firm in June, 1951. Butler is President and Sparks is Sales Manager. The firm operates a branch in Tulsa which is headed by C. J. (Jack) White, former equipment superintendent with the U. S. Army Engineers.

• A method for making a relatively heavy crude oil out of coal while it is still underground and in the seam and then pumping it up for further refining into suitable motor fuels has been invented by Ernest F. Pevere, Beacon, and George B. Arnold, Glenham, N. Y., and assigned to the Texas Company. It received patent number 2,595,979.

A well hole is drilled into the coal seam. Through this a hydrogenating agent is introduced and the resulting oil drawn off. Heat to set off the process may be supplied by an electric heater, the inventors say.

This process, they claim, cuts out two costly steps in the preparation of coal for hydrokenation, first actual mining of the coal, and then, the fine grinding of the coal to obtain a powder.



Closeup view of Caterpillar D18 Tractor pushing overburden at operation of Tony Romaine near Patoka, West Virginia.

A computer in a torpedo which figures out the course and speed of a target ship and corrects the torpedo's course to cor-

and corrects the torpedox course to correspond has received a patent here.

The "course interception navigational computer" receives information from the submarine at random intervals, it is designed to cooperate with equipment on the submarine, such as the periscope, radar, sonar and the speedometer and compass. It includes a position keeper, which provides data with respect to the estimated position of the target vessel.

position of the target vessel.

A group of angle solvers continuously compute the proper angle of the torpedo gyroscopes on the basis of information obtained from the position keeper.

The computer was invented by William K. Ergen, Oak Ridge, Tenn., who assigned his patent, number 2,600,159, to the Radio Corporation of America. It was one of 849 inventions granted patents this week.



Page Improved Automatic Dragline Buckets

Repairs for ALL Page Draaline Buckets

McCLURE EQUIPMENT CO.

3045 Jenkins Arcade Pittsburgh 22, Pa.

PHONE: COurt 1-5225



PUMPS . MACHINERY . SHOP EQUIPMENT



Quincy Air Compressors

105 WATER STREET . PITTSBURGH 22, PA. .



WOOD TAMPING POLES

	made	of	Har	wood.	Sizes	to 10	ft.	long.	
1 **	Dia.					. 8c	per	lineal	ft.
1140	Dia.					12e	per	lineal	ft.
1 1/4 "						14c	per	lineal	ft.
1%"						_16c	per	lineal	ft.
136"								lineal	
174 "	Dia.					28€	per	lineal	ft.
2"	Dia.					32c	per	lineal	ft.

Special diameters and lengths can be furnished. These Poles meet the requirements of the New Federal Mine Safety Code.

SECTIONAL TAMPING POLES

These Poles are made of straight grained wood and are coupled together with removable wood pine neld in place in recessed groove by a rubber band and can be quickly connected and unconnected. Couplers and Head Blocks are 4, 5, and 6 inches in diameter. Please specify size when ordering. Poles

are l'	2 10	ches	in di	ameter			
Head	Bloc	ks _	*****	4"	Dia.	\$3.70	Ea.
Couple	ers	-		4"	Dia	3.90	Ea.
Poles	12	ft.	long	116"	Dia.	3.60	Ea.
Poles	14	ft.	long		Dia	4.20	Ea.
Poles				11/2"			
Poles			long	11/2"	Da.		
Poles	20	ft.	long	1120		7.00	Ea.
Poles			long	112"			
Poles	24	ft.	long	110"	Dia.	9.60	Ea.

EXPLOSIVE BOXES: Made entirely of wood having no metal parts, tongue grouved and dovetailed construction with automatic lock using a rubber band for a spring, treated with paraffin to make moisture resistant. "Approved by the Pennsylvania Department of Mine." Sizes as listed based on 114" x 8" sticks.

Powder Box Prices are as follows:

No.	9	Powder	Box	\$2.55	Ea.	No.	25	Powder	Вох	\$5.10	Ea.
No.	12	Powder	Box	2.95	Ea.	No.	36	Powder	Box	6.50	Ea.
No.	16	Powder	Вох	3.45	Ea.	No.	50	Powder	Box	7.60	Ea.
No.	20	Powder	Box	3.90	Ea.	No.	72	Powder	Box	8.79	Ea.

Detonator Box Prices are as follows:

No. 6 size 21/2" x 3" x 6" inside \$2.15 Ea. No. 8 size 2" x 21/4" x 8" inside \$2.15 Ea.

J. V. Hammond Company





· Appointment of Jack W. Kiddy as east-central district manager for the Davey Compressor Co., Kent, Ohio, is announced by J. T. Myers, Vice President.

Mr. Kiddy will be in charge of company operations in northern Ohio, Michigan (except the northern peninsula), western New York, northwestern Pennsylvania, and the Province of Ontario, Canada. His headquarters will be in Kent.



A graduate of Kent State University, Kent, Ohio, Mr. Kiddy has been associated with the company for three years as a member of the headquarters staff.

· A new one and two quart Vaporizing Liquid fire extinguisher designated as the Pressurized Model B has been announced by The Fyr-Fyter Company of Dayton, Ohio.

It features fast, one-hand operation with accurate control. Aim, squeeze the grip . . . and a powerful 30-foot fire-fighting stream is instantly released. The elimination of pumping or any other manual operation, enables the operator to aim a direct, on-target stream. The vaporizing liquid is completely discharged in 17 to 25 seconds by the positive force of odorless, nontoxic, moisture-free, pressurized nitrogen.

The extinguisher is made with all-brass precision construction. To simplify inspection, cleaning and recharging, the entire valve assembly and pick-up tube unscrew as a uit from the shell. The large valve unit opening in the dome also serves as the "filler" opening. Special gaskets that resist extremes in temperature, corrosion, and solvents assure a positive, leakproof

seal to hold the pressure charge. A visual gage constantly shows the pressure condition. Effective extinguishing action is possible from any angle.

It is approved by Underwriters' Laboratories and is recommended



for use on burning liquids, live electrical fires, and also small general combustion fires.

Address: The Fyr-Fyter Company, 221 Crane Street, Dayton, Ohio.

SALEM "THERCULES" AUGERS FOR ELECTRIC DRILLS Made To Withstand High Drilling Speed, Whip And Tersional Strain Of Electric Drills

Q\$

Drille holes lugger - Will not map off shunk or chip points - Outlages lour of live ordinary nugers.

THE SALEM TOOL COMPANY

SALEM, OHIO, U.S.A.



MARLOW

SELF-PRIMING CENTRIFUGAL GATHERING

PUMPS

Complete Line Carried in Pittsburgh Stock. Tel. HU 1-4400

PUMP AND SUPPLY COMPANY

Brady & Sidney Sts.

Pittsburgh 3, Pa.

Solve Your DRILLING PROBLEMS

WE LOOK INTO THE EARTH"

CORE DRILLING

- Coal Property Testing
- Pre-Grouting Mine Shafts Mine Drainage Bore Holes
- ◆ Large Diameter Holes for Ventilation & Escapeway

PENNSYLVANIA DRILLING CO. PITTSBURGH 20. PA.

Let Us

DIAMOND CORE DRILLING

BITUMINOUS COAL LANDS TESTED . . . SATISFACTORY CORES GUARANTEED

HOFFMAN BROS. DRILLING CO.

Punxsutawney, Pa.

Call 382

STAR LIGHTWEIGHT ALUMINUM

JACKS FOR ROOF TIMBERING

and SAFETY POST WORK

Distributors

S. E. GANE & CO.

508 Grant St., Pittsburgh, Pa.

INCREASE YOUR PRODUCTION

DALY'S IMPROVED COMBINATION MINE CHECK The Only Satisfactory Check on the Market Today

DALY TICKET CO., Collinsville, III.

SPECIAL BARGAIN

COAL DRILLS 2 Jeffrey-250 v. DC

COMPRESSORS-SPECIAL BARGAIN

240 cfm Westinghouse 3 cyl. vert. 150 lb. pres. dir. con to 50 HP. AC Slip ring or

| MOTOR GENERATOR SETS-250 V. D.C. | Motors 220/440 v. or 2200 v.-3 hp., 60 cy. | No. | 250 Wastinghouse | 1200 | 200 Westinghouse | 1200 | 200 Westinghouse | 1200 | 200 Westinghouse | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | Westinghouse General Electric 900 100 General Electric Reliance Delco Westinghouse 90 75 75 680 720 Westinghouse Westinghouse
Westinghouse
Westinghouse
General Electric
Westinghouse
Westinghouse 1200 1800 NEW \$00 720

22 30 Westinghouse 720 125 V. DC M.G. Sets 1—100 kw. C.E. 125 v. 900 rpm. 220/440 v. 3 ph. 60 vy. AC Syr. 1—125 kw. G.E. 125 v. 1200 rpm. 220/440 v. 3 ph. 60 cy. AC. 1—75 kw. West. 125 v. 1200 rpm. 220/440 v. 3 ph. 60 cy.

DUQUESNE ELECTRIC & MANUFACTURING CO.

Phone MOntrose 1-5800

D.C. Generators-250 v. D.C. KW Make Speed 1200 700 1150 West G.E. 3 NEW West. All.s-Chal. West. 1150 100 75 40 West. West. G.E. 700 750 720

HOISTS OR WINCHES

200—1½ ton Hand Cranked ratio 27:1 thru an enclosed double reduction gear unit with 4 planetary gears mounted on steel plate complete with 48' of ½" cable, ratchet type brake, push button release.

CAR PULLERS 100—Brand New with 1/4"
A.C. or D.C. Motors. cable, 14 and 2 ton

COMPRESSORS COMPRESSORS

-315 CFM Ingersoll Rand Portable, 100 lbs.
pres. driven by 105 HP Waukesha Oil Engines, 860 rpm.

BARGAIN-FOR SALE

100 KW. Diesel Engine Generator Sets

11-100 KW., 250'275 v. D.C. Delco Generators
dir. con. to 150 H.P., Model GBD-8, 5@
x 7. 8 cyl. Superior Diesel Engines. electric
starting with muffler, power panel and
accessories.

Practically as good as new-Only Used for spares.

Pittsburgh, Pa.

RELAYING RAIL

TRACK ACCESSORIES

NEW AND REBUILT

STORAGE BATTERY LOCOMOTIVES

Any Size Any Track Gauge GREENSBURG MACHINE CO. Pennsylvania RAILS NEW AND TRACK ACCESSORIES FASTER FROM FOSTER"

Try us for all of your rail needs. We're buying daily - replenishing our stocks in all sizes. Com-plete stocks of All Track Tools & Accessories.

PIPE Y PILING Y WIRE ROPE & SLINGS 1.13 130 84 4 31 ca

PAINTS OVER RUST! **RUSTREM STOPS RUST!**

No priming, scraping, brushing

Rustrem paints right over escapes bridges, fences, flashings all metal. Farm, auto, marine, machinery Black and aluminum

BUREACT

-

SPECO, Inc. Cleveland 9, Ohio

7308 Associate Ave

FOR SALE

PAGE DRAGLINE **Good Condition**

Write: Coal Mining

Midwest Steel Corp. 508 Dryden St., Charleston 21, W. Va. Telephones LD-98 or 21-121



-is made with COAL!

Without coal there would be nothing made of steel in Jack's house. No refrigerator, no vacuum cleaner, no washing machine—for every ton of steel uses a ton of coal in the making. Without coal Jack would be lucky to have any electricity to run his lights and appliances—the vast majority of America's utilities generate electricity with coal. Indeed, almost all of today's great variety of fine products—including the very cement and brick that go into Jack's house—are manufactured with heat and power supplied by coal!

That's why it's good to know America's coal resources are large enough to last for centuries—that America's 5,000 privately managed and competitive coal companies are the most efficient in the world!

Are you responsible for choosing the fuel to power a factory—to heat a home, a hospital or any other building? Then you should consider these important

ADVANTAGES OF BITUMINOUS COAL!

- ☆ Lowest-priced fuel almost everywhere!
- ☆ Labor costs are cut with modern boilers and automatic handling equipment!
- ☆ Easiest and safest to store of all fuels!
- ☆ Vast reserves make coal's supply dependable!
- Dependable supply assures price stability!
- ☆ A progressive industry strives to deliver an ever better product at the lowest possible price!

BITUMINOUS COAL INSTITUTE

A Department of National Coal Association, Washington, D.C.

FOR ECONOMY AND DEPENDABILITY


YOU CAN COUNT ON COAL!

COAL MINING

AUGUST 1952

American Brattice Cloth Corp. 22 Agency Tri-State Advertising, Inc.
Beckwith Machinery Company 2-3 Agency—A. D. Walter, Inc.
Bituminous Coal Institute 26 Agency Benton & Bowles
Cleveland Bros. Agency—Charley Krone
Connellaville Manufacturing and Mine
Supply Company Agency McHenry-Derek Agency
Cummins Engine Co., Inc. Agency—Needham, Louis & Brorby, Inc.
Duly Ticket Company 25
Duquesne Electric & Manufacturing Company 23
ESCO-Electric Steel Foundry 28
Farmers Engineering and Manufacturing Company Agency—Will Schoyer & Co.
Foster Company, L. R. 23 Agency—Lando Advertising Agency
Gane & Co., S. E
Greenshurg Machine Company 25
Harris Pump & Supply Company 5-23
Highway Equipment Company 1st-4th Cover Agency-Palm & Patterson, Inc.
Hoffman Bros. Drilling Co. 23
Hensfeld Mfg. Co. 22 Agency—F. H. Faber
Jeffrey Manufacturing Co. Agency Byer & Bowman
Kanawha Steel & Equipment Co. 28
LeRoi Company 2nd Cover Agency Hoffman & York, Inc., Advertising
McClure Equipment Company 23
Midwest Steel Corporation 25
Mine Safety Appliances Company 3rd Cover Agency Ketchum, MacLeod & Grove, Inc.
Moore-Flesher Hauling Company 26
Osgood Company 27 Agency—Howard Swink Advertising Agency
Inc. Penn Body Division-Hockensmith Corp. 18 Agency McHenry-Derek Advertising
Pennsylvania Drilling Co. 25
Salem Tool Company, The 1-25 Agency—Meek & Thomas, Inc.
Schroeder Bros. 22 Agency McHenry-Derek Advertising
Speco, Inc. 25 Agency-Palm & Patterson, Inc.
Stiffler Industrial Lubricants Co.
Tranter Mfg. Company 23
Wilson & Co., Geo. L. 20

OSGOOD



Natural-born coal miner!

OSGOOD Model 1006 has the reputation of outproducing any other shovel of its size in the coal fields—and it's easy to see why. From treads to boomtip, from blueprints to the completed product, OSGOOD Model 1006 was specially engineered for the coal mining industry. Centralized levers with air-metering valves permit infinitely variable pressure in activating all motions. Patented OSGOOD Air Cushion Clutches assure instant, accurate, velvet-smooth performance . . . automatically compensate for gradual wear on clutch linings. Long, wide crawlers . . . good balance . . . 45' boom, 35' handle . . . super-strong construction . . . these are some of the features of this outstanding machine. Write today for more information.

EQUIPMENT DESIGNED WITH YOUR PROFIT IN MIND

9179

DISTRIBUTOR:

UNITED SALES CORPORATION

7620 MEADE ST., WILKINSBURG, PITTSBURGH 21, PA.

The OSGOOD COMPANY

AFFILIATED WITH THE GENERAL EXCAVATOR CO.

POWER SHOVELS, CRAMES, DRAGLINES, CLAMSHELLS, PILE DRIVERS & MOES. CRAWLER, TRUCK OR WHEEL MOUNTED. DIESEL, GASOLINE OR ELECTRIC POWERED. CAPACITIES 1/2, TO 21/2, CU. YD.



... to fit all dippers and buckets

Now stocked by dealers in every major city in the United States and Canada, ESCO adapters and box-type points will put speed in your digging and give you lower cost per yard.

ESCO adapters, which take the strain and shock of digging, are

Cast of shock and wear resisting alloy steel.

Heat treated for greater toughness and wear.

ESCO box-type points fit the adapters perfectly, and are held securely in place by rubber plugs and alloy steel pins. Points are

Self-sharpening design, with flame hardened tips.

Quickly changed.

Stocked in four basic widths, with a variety of shapes for special purposes.

Available Now

ESCO bulletin 187, "ESCO Box-Type Points and Adapters", tell the whole story of these cost-cutters. Get your copy from your nearest ESCO dealer.



Dippers, Hoe Dippers, Dragline and Coal Loading Buckets

ELECTRIC STEEL FOUNDRY

DISTRIBUTED BY

KANAWHA STEEL & EQUIPMENT CO.

Home Office: Corner Young & Welch Streets

Charleston, W. Va., Phone 33-615


Mailing Address: P. O. Box 2361

Branch Office: 24th St. & U. S. Route 22

Weirton, W. Va., Phone 3344

Mailing Address: P. O. Box 687

M·S·A ALL-ELECTRIC STEAM Cleaner



SAFETY EQUIPMENT HEADQUARTERS

When you have a safety problem, M·S·A is at your service. Our job is to help YOU. CUTS DIRT AND GREASE

10 times faster

REDUCES FIRE HAZARDS
-CUTS COSTS AND LABOR, TOO



Dirt and grease on mining equipment melt away when the new M.S.A. All-Electric Steam Cleaner goes to work. All-electric, with no flame, no sparks, no fuel odors, it is specifically designed for use in coal and metal mines, and any other underground operations where flammable cleaning agents and open flame heating chambers are prohibited, as well as in any other gassy, explosive or similarly hazardous locations.

Cleaning solution and water, properly proportioned, are pumped through an electrically heated manifold, and shoot from the cleaning-gun nozzle in a powerful, cleansing spray that cuts dirt and grease ten times faster than any other known method, with only one man required for operation.

This new M.S.A. device, patented, and made under Homestead-Yeager design, eliminates one of the messiest, expensive and time-consuming maintenance jobs around the mine. Cleaned equipment goes back into service faster, fire hazards from accumulated grease are reduced, manpower is released, with this M.S.A. Steam Cleaner on the job. Ask for bulletin No. AP-1 for added details

MINE SAFETY APPLIANCES COMPANY

BRADDOCK, THOMAS AND MEADE STS., PITTSSURGH 8, PA.
At Your Service: 68 Branch Offices in the United States

MINE SAFETY APPLIANCES CO. OF CANADA, LIMITED

Toronto, Montreal, Calgary, Winnipeg, Vancouver, New Glasgow, N.S.
Representatives in Principal Cities in Mexico, Central and South America
Cable Address: "MINSAF" Pittsburgh

... on every mining job JAEGER PUMPS!

Taegers dewater pits, provide drain-Jage, eliminate water problems quickly, efficiently, economically.





HANSEL COAL CO. Madera



GEORGE BOBO, Grove City



CHUTZ BROS. COAL CO., Slippery Rock



WEIRTON CONSTRUCTION CO., Weirton







SWANEY & MOATS, Uniontown

R. M. PAUL, Elizabeth

E. N. TURNER & SON, Harrisville







6465 HAMILTON AVE. . PITTSBURGH, PA.

ALLIS-CHALMERS . JAEGER . BAKER . GAR WOOD HOUGH MASTER THOR WAYNE CRANE
 GENERAL MOTORS DIESEL ENGINES LIMA SHOVELS. CRANES, DRAGLINES . ERIE BINS